

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S7	208	"6253324" "5144660" "5491750" "6327652" "6609199" "6697944" "6757824" "6799270" "5940513" "6405318" "5144660"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 17:25
S8	174	("6253324" "5144660" "5491750" "6327652" "6609199")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 17:25
S9	131	("6697944" "6757824" "6799270" "5940513" "6405318" "5144660")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 17:24
S27	138851	((creat\$3 or generat\$3) adj\$2 (user or customer)) with ("user ID" or "customer ID" or "ID" or "account number" or "account no"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:06
S28	6034	S27 and (transact\$4 with (record or report))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:39
S29	23	S28 and (trust\$3 adj comput\$3 adj (platform or environment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:34
S32	824	S28 and investig\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:40
S33	194	S32 and ((anonymous or secret) adj (key or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:43
S34	194	S33 and ((user or customer) adj\$2 (monitor\$3 or watch\$3 or observ\$3 or supervis\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 11:45
S35	194	S34 and ((user or customer) adj\$2 (inhibit\$3 or control\$4 or restrain\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:11

S36	2707584	(investig\$5 near\$3 transact\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:33
S37	63	(investig\$5 near transact\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:13
S38	2615901	(investig\$5 near\$2 transact\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:33
S39	166	S38 and (trust\$3 adj comput\$3 adj (platform or environment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:34
S40	48	S39 and (((creat\$3 or generat\$3) adj\$2 (user or customer)) with ("user ID" or "customer ID" or "ID" or "account number" or "account no"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:51
S41	41472	S38 and (((creat\$3 or generat\$3) adj\$2 (user or customer) adj account) with ("user ID" or "customer ID" or "ID" or "account number" or "account no"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:52
S42	40690	S41 and (identity or id or password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:54
S44	309	S42 and (trust\$2 adj (server or device or unit or party))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:58
S45	278	S44 and authentic\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:59
S46	278	S44 and authentic\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 12:59

S47	229	S46 and (monitor\$3 or observ\$3 or supervis\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:00
S48	229	S47 and ((user or customer) adj\$2 (inhibit\$3 or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:02
S49	198	S48 and (secret or anonymous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:03
S50	184	S49 and (record or report)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:04
S51	69	S49 and ((creat\$3 or generat\$3)near(record or report))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:39
S52	1861	((select\$3 adj (user or customer)) and ((creat\$3 or generat\$3) adj (account or identity or key or password)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:36
S53	130	((select\$3 adj (user or customer)) and ((creat\$3 or generat\$3) adj (account or identity or key or password)) and ((creat\$3 or generat\$3) adj (record or report)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:26
S54	2	S53 and (transact\$4 with investigation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:28
S55	17	S53 and (transact\$4 same (investig\$5 or "background check" or inquiry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:29
S57	1350	"data processing environment"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 16:53

S58	476	S57 and transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 16:54
S59	95	S58 and authentic\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 16:55
S60	65	S59 and identity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:06
S61	38619	"705"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:06
S62	10204	S61 and (((creat\$3 or generat\$3) adj\$2 (user or customer)) with ("user ID" or "customer ID" or "ID" or "account number" or "account no"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:08
S63	34	S62 and ((select\$3 adj (user or customer)) with ("third party" or "authority" or "trusted"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:35
S64	174	("6253324" "5144660" "5491750" "6327652" "6609199")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:35
S66	217415	S64 ans ((select\$3 adj (user or customer)) and ((creat\$3 or generat\$3) adj (account or identity or key or password)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:36
S67	9	S64 and ((select\$3 adj (user or customer)) and ((creat\$3 or generat\$3) adj (account or identity or key or password)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 17:40
S74	484	((creat\$3 or generat\$3) adj (user or client or customer) adj (account))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:20

S75	118	S74 and (transaction with (record or report))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:20
S78	112	S75 and ("user id" or "customer account" or "client id" or "id" or "account number" or identity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:22
S79	40	S78 and ((creat\$3 or generat\$3) adj (record or report))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:05
S80	19	("20020178071" "4799156" "5790677" "5956693" "6173272" "6249772" "6381582" "6609113" "6754636").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:12
S82	3412	((select\$3 adj (user or customer or client)) with (database or ((customer or client or user) adj list)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:15
S83	33	S82 and ((creat\$3 or generat\$3) adj ("user id" or ((customer or client) adj account) or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 14:51
S84	3	"Caching DOrain name system".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 15:55
S85	130	((user or customer or client) with (plurality adj ("identities" or "identity" or "id" or "user name")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:04
S87	26	S85 and transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:24
S88	4	S85 and ((anonymous or secret) adj (identity or id))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:26

S89	506	((anonymous or secret) adj (identity or id))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:26
S90	7	S89 and investigation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:27
S91	387	S89 and transact\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:27
S92	354	S91 and (record or report)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:28
S93	299	S92 and trust\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:28
S94	10	S93 and investig\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:34
S95	1	S93 and (((user or client or customer) adj (monitor\$3 or supervis\$3 or observ\$3)) with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:41
S96	2	S93 and (((monitor\$3 or supervis\$3 or observ\$3)) adj transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:43
S97	11	S93 and ((control\$4 or manag\$3) adj transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:50
S98	299	S93 and (user or client or customer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:51

S99	17	S98 and (trust\$2 adj (party or authority or unit or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:52
S10 0	18	("5615269" "5666414" "5666416" "5717758" "5960083" "6009177" "6026163" "6073237" "6092201" "6094485" "6134550" "6229894" "6240183" "6301659" "6336186" "6424718" "6483921" "6615347").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/26 15:32
S10 1	13708	((monitor or observe) adj (transaction or operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:34
S10 2	828	((monitor or observe) adj (transaction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:40
S10 3	83	S102 and ((inhibit or control) adj (operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:37
S10 4	22	S103 and (user same (identity or id or password))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:36
S10 5	7	S102 and ((inhibit or control) adj (operation)) with (user or client to customer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:41
S10 6	125	((monitor or observe) adj (transaction)) with (user or customer or client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:07
S10 7	9738	((inhibit or control) adj (operation)) with (user or client to customer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:42
S10 8	1	S106 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:41

S109	260187	((inhibit or control) adj (operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:42
S110	15	S109 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:42
S111	38	S106 and "705"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:07
S112	22	(user adj (monitor or observe) with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:54
S113	234	(user adj (monitor or observe or view) with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:40
S114	55	((user adj (inhibit or control) with operation) same (identity or id or "create account"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:15
S115	300	((user adj (inhibit or control)) with (identity or id or "create account"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:16
S116	132	S115 and (network and (trust or third))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:17
S117	79	S116 and (rights or privilege)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:20